



## **THE WORLD LEADER**

ATK HAS WON MORE FOUR-STROKE  
MOTOCROSS WORLD CHAMPIONSHIPS  
THAN ANY OTHER MOTORCYCLE.



# **ATK**

### **ATK AMERICA, INC.**

1164 WEST 850 NORTH  
CENTERVILLE, UTAH 84014

TELEPHONE  
(801) 298-8288





**ATK**





**ATK**



N E V E R



#### REMOVABLE SUB FRAME

LIGHT. STRONG. THE NEW ATK'S REMOVABLE SUB FRAME ALLOWS EASIER COMPONENT ACCESS.



#### SINGLE REAR SHOCK

SIDE MOUNTED. LINKAGELESS. LEAN AND SIMPLE.



#### DUAL PISTON CALIPER BRAKES

NISSIN FRONT AND REAR. INCREASED STOPPING POWER. REDUCED FADING. IT TAKES THE BEST BRAKE MADE TO STOP AN ATK.



STANDARD  
ON ALL ATK

- ◆ ACERBIS PLASTICS
- ◆ DUNLOP TIRES
- ◆ CEET SEAT FOAM AND TRI-COLOR SEAT COVER
- ◆ 4130 CHROME-MOLY STEEL FRAME AND SWINGARM
- ◆ NISSIN DUAL PISTON, FULL FLOATING DISC BRAKES
- ◆ LARGE DIAMETER, STAINLESS-STEEL ROTORS
- ◆ ANSWER PRO-TAPER HANDLEBAR

**PERFECTION.** WE TRAVEL IN ONE DIRECTION. FORWARD. WE BUILD THE MOTORCYCLES WE'VE ALWAYS WANTED TO RIDE. PERFECTION IS A  
EXCEEDED THEM. **EVOLUTION.** ATK IS ALWAYS IN MOTION, BUT OUR CONVICTION REMAINS ETCHED IN THE EVERLASTING ROCK AND PACK  
ANYONE ELSE. WE BUILD THE PREMIER OFF-ROAD MOTORCYCLE BECAUSE WE KNOW THE DIFFERENCE. ATK MOTORCYCLES ARE BUILT FOR RIDERS. **INTI**  
WE BUILD EACH BIKE INDIVIDUALLY. WE TAKE OUR TIME. OUR DETERMINATION WINS CHAMPIONSHIPS. IT WINS RESPECT FROM PROFESSIONALS. PRAISE FR  
WHO RECOGNIZES GREATNESS AND APPRECIATES THE SOPHISTICATION. **INNOVATION.** THE ATK LEGACY CONTINUES TRIUMPHANTLY WITH  
AMERICAN MADE. DESTINED TO LEAD THE EXODUS OFF THE BEATEN PATH. WE ARE ATK. OUR DRIVE IS UNQUENCHABLE. OUR FOCUS UNFLAGGING. OUR COM  
WE NEVER LET UP. NEVER SETTLE FOR LESS. NEVER LOOK BACK. PERFECTION IS THE GOAL. GO OUT AND RIDE THE REALIZATION. **THE NEW A**



N E V E R



#### REMOVABLE SUB FRAME

LIGHT. STRONG. THE NEW ATK'S REMOVABLE SUB FRAME ALLOWS EASIER COMPONENT ACCESS.



#### SINGLE REAR SHOCK

SIDE MOUNTED. LINKAGELESS. LEAN AND SIMPLE.



#### DUAL PISTON CALIPER BRAKES

NISSIN FRONT AND REAR. INCREASED STOPPING POWER. REDUCED FADING. IT TAKES THE BEST BRAKE MADE TO STOP AN ATK.



STANDARD  
ON ALL ATK

- ◆ ACERBIS PLASTICS
- ◆ DUNLOP TIRES
- ◆ CEET SEAT FOAM AND TRI-COLOR SEAT COVER
- ◆ 4130 CHROME-MOLY STEEL FRAME AND SWINGARM
- ◆ NISSIN DUAL PISTON, FULL FLOATING DISC BRAKES
- ◆ LARGE DIAMETER, STAINLESS-STEEL ROTORS
- ◆ ANSWER PRO-TAPER HANDLEBAR

**PERFECTION.** WE TRAVEL IN ONE DIRECTION. FORWARD. WE BUILD THE MOTORCYCLES WE'VE ALWAYS WANTED TO RIDE. PERFECTION IS A  
EXCEEDED THEM. **EVOLUTION.** ATK IS ALWAYS IN MOTION, BUT OUR CONVICTION REMAINS ETCHED IN THE EVERLASTING ROCK AND PACK  
ANYONE ELSE. WE BUILD THE PREMIER OFF-ROAD MOTORCYCLE BECAUSE WE KNOW THE DIFFERENCE. ATK MOTORCYCLES ARE BUILT FOR RIDERS. **INT**  
WE BUILD EACH BIKE INDIVIDUALLY. WE TAKE OUR TIME. OUR DETERMINATION WINS CHAMPIONSHIPS. IT WINS RESPECT FROM PROFESSIONALS. PRAISE FR  
WHO RECOGNIZES GREATNESS AND APPRECIATES THE SOPHISTICATION. **INNOVATION.** THE ATK LEGACY CONTINUES TRIUMPHANTLY WITH  
AMERICAN MADE. DESTINED TO LEAD THE EXODUS OFF THE BEATEN PATH. WE ARE ATK. OUR DRIVE IS UNQUENCHABLE. OUR FOCUS UNFLAGGING. OUR COM  
WE NEVER LET UP. NEVER SETTLE FOR LESS. NEVER LOOK BACK. PERFECTION IS THE GOAL. GO OUT AND RIDE THE REALIZATION. **THE NEW A**



L E T U P



#### FEATURES K MODELS:

- ◆ WHITE POWER 5457 SEALED CARTRIDGE, FULL-BLEED FORK: 11.8" TRAVEL
  - ◆ WHITE POWER SINGLE SHOCK: 12.6" REAR WHEEL TRAVEL
  - ◆ NICKEL-PLATED EXHAUST
  - ◆ QUIET, SPARK-ARRESTER EQUIPPED ALUMINUM SILENCER
  - ◆ PREMIUM D.I.D. VS O-RING CHAIN
- (ES INDICATES ELECTRIC START)



#### GRAB HANDLES

PULL YOURSELF OUT OF TROUBLE WITH EASE AND CONVENIENCE.



#### WHITE POWER FORKS

WHITE POWER 5457 FORKS GOBBLE UP SMALL BUMPS EVEN BETTER.



#### ROTAX ENGINE

AIR COOLED. SIMPLE. BULLET-PROOF.

JOURNEY. THE BIGGER THE BUMPS, THE BETTER. WE SET NEW STANDARDS FOR QUALITY, PERFORMANCE AND TECHNICAL SUPERIORITY. THEN WE  
 O WITH A ROAR IN THE UNRELENTING EARTH. **DEDICATION.** OUR APPROACH IS SIMPLE. WE DO ONE THING. WE DO IT BETTER THAN  
**GRITY.** ATK MOTORCYCLES ARE EASY TO MAINTAIN. RELIABLE UNDER PRESSURE. NASTY IN THE FRAY. CONFIDENT. BEAUTIFUL. INTIMIDATING.  
 OM THE INDUSTRY. ACCOLADES FROM THE ENTHUSIAST  
 THE INTRODUCTION OF SIX COMPLETELY NEW MODELS.  
 MITMENT IMMUTABLE. OUR PRODUCT SUPERIOR.

ATK.




L E T U P



## FEATURES K MODELS:

- ◆ WHITE POWER 5457 SEALED CARTRIDGE, FULL-BLEED FORK: 11.8" TRAVEL
- ◆ WHITE POWER SINGLE SHOCK: 12.6" REAR WHEEL TRAVEL
- ◆ NICKEL-PLATED EXHAUST
- ◆ QUIET, SPARK-ARRESTER EQUIPPED ALUMINUM SILENCER
- ◆ PREMIUM D.I.D. VS O-RING CHAIN

(ES INDICATES ELECTRIC START)



## GRAB HANDLES

PULL YOURSELF OUT OF TROUBLE WITH EASE AND CONVENIENCE.



## WHITE POWER FORKS

WHITE POWER 5457 FORKS GOBBLE UP SMALL BUMPS EVEN BETTER.



## ROTAX ENGINE

AIR COOLED. SIMPLE. BULLET-PROOF.

JOURNEY. THE BIGGER THE BUMPS, THE BETTER. WE SET NEW STANDARDS FOR QUALITY, PERFORMANCE AND TECHNICAL SUPERIORITY. THEN WE  
D WITH A ROAR IN THE UNRELENTING EARTH. **DEDICATION.** OUR APPROACH IS SIMPLE. WE DO ONE THING. WE DO IT BETTER THAN  
**GRITY.** ATK MOTORCYCLES ARE EASY TO MAINTAIN. RELIABLE UNDER PRESSURE. NASTY IN THE FRAY. CONFIDENT. BEAUTIFUL. INTIMIDATING.  
OM THE INDUSTRY. ACCOLADES FROM THE ENTHUSIAST  
THE INTRODUCTION OF SIX COMPLETELY NEW MODELS.  
MITMENT IMMUTABLE. OUR PRODUCT SUPERIOR.

TK.



**ATK  
CROSS  
COUNTRY  
350/350ES  
4 STROKE**

ENGINE TYPE ..... 348cc single cylinder,  
air cooled, SOHC  
BORE AND STROKE ..... 79.5 x 70.4mm  
CARBURETION ..... TM 36mm Mikuni  
TRANSMISSION ..... 6 speed/W.R  
FUEL CAPACITY ..... 4.2 gallons  
WHEELBASE ..... 58.5 inches  
SEAT HEIGHT ..... 36 inches  
DRY WEIGHT ..... 258/273 lbs.  
OPTIONS ..... Lighting Kit







**ATK**

Baja ACE 150 Baja

ACE 150







N E V E R L O



## **ATK DUAL SPORT 605/605ES 4 STROKE**

|                       |  |
|-----------------------|--|
| ENGINE TYPE .....     | 598cc Single cylinder,<br>air cooled, SOHC |
| BORE AND STROKE ..... | 97.0 x 81.0mm                              |
| CARBURETION .....     | TM 38mm Mikuni                             |
| TRANSMISSION .....    | 5 speed/W.R.                               |
| FUEL CAPACITY .....   | 4.2 gallons                                |
| WHEELBASE .....       | 58.5 inches                                |
| SEAT HEIGHT .....     | 36 inches                                  |
| DRY WEIGHT .....      | 265/280 lbs.                               |

DUAL SPORT MODELS COME WITH HEADLIGHT,  
TAIL/BRAKE LIGHT, TURN INDICATORS, HORN AND MIRROR.



N E V E R L O



## ATK DUAL SPORT 605/605ES 4 STROKE

|                       |  |
|-----------------------|--|
| ENGINE TYPE .....     | 598cc Single cylinder,<br>air cooled, SOHC |
| BORE AND STROKE ..... | 97.0 x 81.0mm                              |
| CARBURETION .....     | TM 38mm Mikuni                             |
| TRANSMISSION .....    | 5 speed/W.R.                               |
| FUEL CAPACITY .....   | 4.2 gallons                                |
| WHEELBASE .....       | 58.5 inches                                |
| SEAT HEIGHT .....     | 36 inches                                  |
| DRY WEIGHT .....      | 265/280 lbs.                               |

DUAL SPORT MODELS COME WITH HEADLIGHT,  
TAIL/BRAKE LIGHT, TURN INDICATORS, HORN AND MIRROR.



O K B A C K



## **ATK DUAL SPORT 350/350ES 4 STROKE**

ENGINE TYPE ..... 348cc Single cylinder,  
air cooled, SOHC  
BORE AND STROKE ..... 79.5 x 70.4mm  
CARBURETION. .... TM 36mm Mikuni  
TRANSMISSION ..... 6 speed/W.R.  
FUEL CAPACITY ..... 4.2 gallons  
WHEELBASE ..... 58.5 inches  
SEAT HEIGHT ..... 36 inches  
DRY WEIGHT ..... 263/277 lbs.

DUAL SPORT MODELS COME WITH HEADLIGHT,  
TAIL/BRAKE LIGHT, TURN INDICATORS, HORN AND MIRROR.



N E V E R S L



## ATK CROSS COUNTRY 605/605ES 4 STROKE

|                       |  |
|-----------------------|--|
| ENGINE TYPE .....     | 598cc single cylinder,<br>air cooled, SOHC |
| BORE AND STROKE ..... | 97.0 x 81.0mm                              |
| CARBURETION. ....     | TM 38mm                                    |
| TRANSMISSION .....    | 5 speed/W.R.                               |
| FUEL CAPACITY .....   | 4.2 gallons                                |
| WHEELBASE .....       | 58.5 inches                                |
| SEAT HEIGHT .....     | 36 inches                                  |
| DRY WEIGHT .....      | 260/275 lbs.                               |
| OPTIONS .....         | Lighting Kit                               |



O W D O W N



## **ATK CROSS COUNTRY 250 2 STROKE**

|                       |  |
|-----------------------|--|
| ENGINE .....          | 244cc single cylinder, air cooled,<br>rotary valve |
| BORE AND STROKE ..... | 72.0 x 61.0mm                                      |
| CARBURETION .....     | TM 38mm Mikuni                                     |
| TRANSMISSION .....    | 6 speed/W.R.                                       |
| FUEL CAPACITY .....   | 4.2 gallons  |
| WHEELBASE .....       | 58.5 inches  |
| SEAT HEIGHT .....     | 36 inches  |
| DRY WEIGHT .....      | 220 lbs.   |
| OPTIONS .....         | Lighting Kit                                       |



O W D O W N



## **ATK CROSS COUNTRY 250 2 STROKE**

|                       |  |
|-----------------------|--|
| ENGINE .....          | 244cc single cylinder, air cooled,<br>rotary valve |
| BORE AND STROKE ..... | 72.0 x 61.0mm                                      |
| CARBURETION .....     | TM 38mm Mikuni                                     |
| TRANSMISSION .....    | 6 speed/W.R.                                       |
| FUEL CAPACITY .....   | 4.2 gallons  |
| WHEELBASE .....       | 58.5 inches  |
| SEAT HEIGHT .....     | 36 inches  |
| DRY WEIGHT .....      | 220 lbs.   |
| OPTIONS .....         | Lighting Kit                                       |













## **ATK CROSS COUNTRY 406 2 STROKE**

|                       |  |
|-----------------------|--|
| ENGINE .....          | 399cc single cylinder, air cooled,<br>piston port, case reed valve |
| BORE AND STROKE ..... | 84.0 x 72.0mm  |
| CARBURETION .....     | TM 38mm Mikuni   |
| TRANSMISSION .....    | 5 speed/W.R.   |
| FUEL CAPACITY .....   | 4.2 gallons  |
| WHEELBASE .....       | 58.5 inches  |
| SEAT HEIGHT .....     | 36 inches  |
| DRY WEIGHT .....      | 225 lbs.   |
| OPTIONS .....         | Lighting Kit   |





## **ATK CROSS COUNTRY 406 2 STROKE**

|                       |  |
|-----------------------|--|
| ENGINE .....          | 399cc single cylinder, air cooled,<br>piston port, case reed valve |
| BORE AND STROKE ..... | 84.0 x 72.0mm  |
| CARBURETION .....     | TM 38mm Mikuni   |
| TRANSMISSION .....    | 5 speed/W.R.   |
| FUEL CAPACITY .....   | 4.2 gallons  |
| WHEELBASE .....       | 58.5 inches  |
| SEAT HEIGHT .....     | 36 inches  |
| DRY WEIGHT .....      | 225 lbs.   |
| OPTIONS .....         | Lighting Kit   |

406